




"Standard"
PLUMBING FIXTURES
for the HOME



"Standard" Green and Gold Label


reproduced above is placed on every

"Standard"
Enameled and Vitreous China
Plumbing Fixture

"Standard" Closet Bowls
have trade-mark "Standard"
printed under the glaze.

All "Standard" Brass Goods
have trade-mark "Standard"
stamped or cast in the brass.

"Standard" White Closet
Seats have trade-mark
"Standard" pressed in.



Planning the Plumbing



IT is the purpose of this book to outline briefly conclusions drawn from the experience of thousands of home builders and to make it pleasant and easy for you to choose the plumbing fixtures that will meet your tastes and needs.

In planning the plumbing equipment, consider the position of the sewer line in your house. The more you group the plumbing fixtures around it, the more economical it will be to connect the fixtures with it.


After careful consideration, decide what plumbing facilities will be adequate for your home. What will be the bathroom situation in the morning? Take into consideration the value of time saved by having enough facilities and remember that regular health habits save doctor bills.

Because this catalogue goes to all sections of the country, the prices are necessarily approximate. Use them to compare one fixture with another, keeping in mind that all "Standard" Plumbing Fixtures are first quality and vary in price because of differences in design. A good plan is to pick out the "Standard" Plumbing Fixtures you most desire and then get exact prices from your Plumber.

If you must keep within a set figure for plumbing and the cost of your program threatens to go over that mark, pick out fixtures of more economical design. The experience of thousands is that it is not wise to buy other than first class plumbing fixtures or to try to do without the services of a reliable Plumber.

When running water and a sewer system are not available, a water system and septic tank are essential for satisfactory results. It is well to make use of a reputable Plumber's experience when choosing this equipment.

In building, it is usually wise to use the services of a reputable Architect or Contractor. His knowledge and experience will likely save you more than the amount of his charge.



*If you live in or near
one of these Cities*

PLANNING your plumbing can be simplified and made a truly enjoyable experience if you live in or near one of the cities listed below as having a "Standard" Showroom. For then


you can see actual "Standard" Plumbing Fixtures in many designs and sizes and readily pick out the ones exactly suitable. You will find courteous and thoroughly informed representatives to help you solve your particular problems or you can simply look around by yourself. You will enjoy your visit to the "Standard" Showroom and will be placed under no obligation for coming.

"Standard" Branches, Showrooms and Sales Offices

*AKRON, O. (Showroom)	- - - - -	Crosier and High Streets
*ALTOONA, PA.	- - - - -	916 Eleventh Avenue
ATLANTA, GA. (Showroom)	- - - - -	281 Peachtree Street
BALTIMORE, MD. (Showroom)	- - - - -	334 North Charles Street
*BIRMINGHAM, ALA. (Showroom)	- - - - -	503 Twenty-second Street, South
BOSTON, MASS. (Showroom)	- - - - -	186-200 Devonshire Street
*CANTON, O. (Showroom)	- - - - -	1120 High Avenue, S. W.
CHARLOTTE, N. C. (Sales Office)	Room 206 Johnston Bldg.,	212 S. Tyron St.
*CHICAGO, ILL.	- - - - -	3716 Iron Street
CHICAGO, ILL. (Showroom)	- - - - -	900 South Michigan Avenue
*CHICAGO, ILL. (Northwest Branch)	- - - - -	2337 North Crawford Avenue
*CHICAGO, ILL. (South Branch)	- - - - -	72nd and Stoney Island Avenue
CHICAGO, ILL. (Sales Office)	1010 Standard Oil Bldg.,	910 So. Michigan Ave.
CINCINNATI, O. (Showroom)	- - - - -	633 Walnut Street
*CLEVELAND, O. (Showroom)	- - - - -	4409 Euclid Avenue
*CLEVELAND, O. (W. S. Branch) (Showroom)	- - - - -	10800 Lorain Avenue
*CLEVELAND, O. (Mayfield Branch)	- - - - -	2044 Random Road
*COLUMBUS, O. (Showroom)	- - - - -	503-519 Park Street, South
*DALLAS, TEX. (Showroom)	- - - - -	1200 Jackson Street
*DENVER, COLO. (Showroom)	- - - - -	1730 Blake Street
*DETROIT, MICH. (Showroom)	- - - - -	5943 Second Boulevard
*E. ST. LOUIS, ILL.	- - - - -	21 North Seventh Street
*ERIE, PA. (Showroom)	- - - - -	130 West Twelfth Street
*EVANSTON, ILL.	- - - - -	Chicago Avenue and Keeney Street
*EVANSVILLE, IND.	- - - - -	Illinois and Governor Streets
*FORT WAYNE, IND.	- - - - -	1226 North Harrison Street
*FORT WORTH, TEXAS (Showroom)	- - - - -	1612 Houston Street
*GRAND RAPIDS, MICH.	- - - - -	72-78 Ellsworth Ave., S. E.
HAMILTON, CAN. (Showroom)	- - - - -	20-28 Jackson Street, West
*HOLLYWOOD, CALIF.	- - - - -	1037-1039 North Orange Drive
*HOUSTON, TEX. (Showroom)	- - - - -	McKinney Avenue and Broadway
*HUNTINGTON, W. VA. (Showroom)	- - - - -	Second Avenue and Tenth Street
*INDIANAPOLIS, IND. (Showroom)	- - - - -	846 North Senate Avenue
KANSAS CITY, MO. (Showroom)	- - - - -	201 Ridge Arcade Bldg., 916 Walnut St.
LONG ISLAND CITY, N. Y. (Showroom)	- - - - -	"Standard" Bldg., 556 Northern Blvd.
*LOS ANGELES, CALIF.	- - - - -	216-224 South Central Avenue
LOS ANGELES, CALIF. (Showroom)	- - - - -	919 West Seventh Street
*LOUISVILLE, KY. (Showroom)	- - - - -	321 West Main Street

Specification Service Free

IF you desire, a folder will be made up for you, showing and specifying accurately the plumbing fixtures and fittings you have chosen. You can use this specification as a record for yourself and to get estimates on your plumbing. Any reputable Plumber can quote you prices based on the specification because of the national distribution of "Standard" Plumbing Fixtures and "Standard" Brass Goods. Making up this specification folder is offered as a helpful service and will not bind you in any way.



"Standard" Branches, Showrooms and Sales Offices

MIAMI, FLA. (Sales Office)	403 Miami Realty Board Bldg., 327 N. E. 1st Ave.
*MILWAUKEE, WIS. - - - - -	1627 St. Paul Avenue
MILWAUKEE, WIS. (Showroom)	426 Broadway
*MOBILE, ALA. (Showroom) - - - - -	306 North Royal Street
*NASHVILLE, TENN. (Showroom)	14 Cummins Station
NEWARK, N. J. (Showroom) - - - - -	528-534 Ferry Street
*NEW ORLEANS, LA. (Showroom) - - - - -	846 Baronne Street
NEW YORK, N. Y. (Showroom) - - - - -	18 East Forty-fifth Street
OAKLAND, CALIF. (Showroom) - - - - -	1630 Webster Street
*OAK PARK, ILL. - - - - -	260 Madison Avenue
*PASADENA, CALIF. - - - - -	309 South Broadway
*PEORIA, ILL. (Showroom) - - - - -	112-114 Main Street
PHILADELPHIA, PA. (Showroom) - - - - -	1215 Walnut Street
PITTSBURGH, PA. (Showroom) - - - - -	Bessemer Building, 106 Sixth Street
*PITTSBURGH, PA. - - - - -	201-217 Galveston Avenue
*PITTSBURGH, PA. (East End Branch)	6375 Penn Avenue
PORTLAND, ORE. (Showroom) - - - - -	48 Fifth Street
*QUINCY, ILL. (Showroom) - - - - -	320 South Sixth Street
*ROCK ISLAND, ILL. (Showroom) - - - - -	1615-1617 Second Avenue
*ST. LOUIS, MO. (Showroom) - - - - -	4140 Forest Park Boulevard
*SAN ANTONIO, TEX. (Showroom) - - - - -	1101 Broadway
SAN DIEGO, CALIF. - - - - -	"Standard" Exhibit, Spreckels Building
SAN FRANCISCO, CALIF. (Showroom) - - - - -	349 Sutter Street
SAN FRANCISCO, CALIF. (Sales Office)	1000 Brannan Street
SEATTLE, WASH. - - - - -	1242 First Avenue, South
SEATTLE, WASH. (Showroom) - - - - -	1301-1303 Fifth Avenue
*SHREVEPORT, LA. (Showroom) - - - - -	1557-1559 Texas Avenue
*SOUTH BEND, IND. - - - - -	850 South Fellows Street
SPRINGFIELD, MASS. - - - - -	808-809 Third National Bank Building
SYRACUSE, N. Y. - - - - -	303 Herald Building
*TOLEDO, O. (Showroom) - - - - -	1002-1016 Summit Street
TORONTO, CAN. (Sales Office) - - - - -	Royce and Lansdowne Avenues
WASHINGTON, D. C. (Showroom) - - - - -	New Willard Hotel, 1412 F Street, N. W.
*WHEELING, W. VA. (Showroom) - - - - -	46 Eighteenth Street
*YOUNGSTOWN, O. (Showroom) - - - - -	458 West Federal Street

Service at "Standard" Branches In the cities marked (*) are carried complete lines of Plumbing and Heating Supplies; Farm Water Supply Systems; Tools and Supplies for Mills, Mines and Factories, also for the Water, Gas, Steam and Oil Industries. Write or call on nearest Branch.




"Standard" Pembroke Bathroom—Design A

THE CHARM OF A BEAUTIFUL BATHROOM

THE beautiful bathroom of today is the center of home health and comfort. No other part of the home possesses the charms peculiar to the ideally equipped bathroom.

While bathrooms have grown in beauty and utility in recent years, it remained for the enameled all over, built-in bath, made completely in one-piece, to add the finishing touch.



FIXTURES IN THIS BATHROOM ARE

Pembroke Recess Bath, 5 ½ feet, P 2315 B (As shown on page 19), complete with Combination No. 22 Bath and Shower Fitting	— — — — —	\$128.90
Laton Lavatory, 22x27 inch, P 3117 H S (Page 28)	— — — — —	61.75
Devoro All White Closet, F 2100 (Page 45)	— — — — —	80.00
Total Price	— — — — —	\$270.65




"Standard" Woodmere Bathroom—Design B

ENRICHES THE ENTIRE HOME

A FINE bathroom, richly simple in its fixtures, appointments and arrangement, offers far more than its cost in the satisfaction it gives.

Every modern home should have a bathroom like that shown above or on preceding page. While these bathrooms cost more than the bathroom with tub on legs, their years of assured service will long outlive the difference in the first cost.



FIXTURES IN THIS BATHROOM ARE

Woodmere Corner Bath, 5½ foot P 2389 G (See Page 9, this Catalogue for description of Woodmere Bath, Page 11 in General Catalogue for description of Bath and Shower Fittings)	\$208.15
Penwood Lavatory, 22x27 inch F 118 G (Page 32)	70.95
Purimo Closet, F 2211 (Page 46)	100.00
Total Price	\$379.10




*A "Standard" Bathroom in a Space
Five Feet Square*

A SMALL space can be made into a complete modern bathroom if the plumbing fixtures are carefully chosen and placed. At the left are shown full sized fixtures installed in a space five feet square.

Many home builders now provide a small bathroom for each bedroom. This assures ideally ample bathroom facilities in the home.

In remodeling, these small bathrooms can be installed where formerly were odd corners, hall ends, etc.



FIXTURES IN THIS ROOM ARE

Pembroke Recess Bath, 5 ft., P 2317, as described on Page 15 except with Combination No. 11 Bath and Shower Fitting	\$137.45†
Marcosa Lavatory, 14 1/4 x 26 1/2 inch, F 319 RZ, as shown on Page 41	31.35
Siacto Closet, F 2288, as shown on Page 47	70.00

Total Price - - - - - \$238.80



†Bath without Shower, Curtain Rod and Duck Curtain, P 2317 J - - - - \$ 98.65

HELPFUL PLAN SUGGESTIONS

No. 1. Extra bedroom converted into two Woodmere Bathrooms.

No. 2. Double Purpose Bathroom with Pembroke Bath and Stall Shower.

The Stall Shower can be used as separate room or as part of bathroom.




THE modern bathroom at the right is shown as a guide for home builders whose budgets do not allow them to install a Pedestal Lavatory, Pembroke Bath and Devoro or Purimo Closet.

The Conred Bath provides the advantages of a built-in bath and equipped as it is with shower gives full bathing facilities at economical cost. The Ophir Lavatory is pleasing and sanitary in design. The Siacto Closet has deep seal, small soiling area and is quiet and sure acting.







"Standard" High Value Bathroom

FIXTURES IN THIS ROOM ARE	
Conred Bath, 5 ft. P 2470, enameled inside only, described on Page 20, equipped with Combination No. 44 Bath and Shower Fitting shown on Woodmere Bath, Page 10. (If with cretonne instead of white duck curtain, extra charge) -	\$101.80
Ophir Lavatory, 20x24 inch, P 3847 E as shown on Page 29 - - - - -	40.00
Siacto Closet F 2288, as shown on Page 47 - -	70.00
Total Price - - - - -	\$211.80



No. 3. Recess Pembroke Bathroom with linen closet. No. 4. Showing what can be done with irregular shaped space. No. 5. Made from cupboard between two bedrooms and a corner of each adjoining room. No. 6. Practical use of long narrow hall end.





Woodmere Bath, Corner Pattern—P 2387 with K 300 Fitting
(See opposite page)

The Woodmere—The Bath of Distinction


(See illustration on opposite page)

IF you are building a pretentious home, you will probably want a Woodmere Bath in each of the more important bathrooms. Its inbuilt beauty and richness make it harmonize with the finest of furnishings.


The Woodmere has full, flowing curves and massive lines which give unusual distinction. It is not only richly beautiful in itself but lends an air of aristocracy and ease to its surroundings.

As well as giving the utmost in beauty, the Woodmere is highly practical. Its straight sides and wide flat bottom make it roomier than other baths. Because it is made in one piece, enameled all over and builds into floor and walls, it is sanitary and easily kept clean. If possible, visit a "Standard" Showroom to inspect the Woodmere Bath.


The height from floor is $17\frac{1}{2}$ inches; depth inside, 17 inches. It sets $\frac{1}{2}$ inch into floor. Width from finished wall line is $32\frac{1}{4}$ inches and the rim with splash strip extends $\frac{3}{4}$ inch into wall. Rim is $4\frac{1}{2}$ inches wide. Left corner pattern shown is equipped with K 300 Fitting concealed in end wall. Both hot and cold water enter through a nickel plated nozzle on the end near the top.




P 2382
with K 300 Fitting



P 2387
with K 300 Fitting




P 2380 J S



P 2385 J S

To secure complete, exactly as shown, for left corner with outlet in left end, fitting concealed in end wall, order P 2387 with K 300 Fitting. For right corner with outlet in right end, fitting concealed in end wall, order P 2382 with K 300 Fitting.

For right corner with K 370 S fitting and outlet on left end, order P 2380 J S. For left corner with outlet in right end, order P 2385 J S.




WOODMERE—
P 2380 J S with
K 370 S Fitting

	5 feet	5 1/2 feet
P 2380 J S or P 2385 J S — — — — —	\$162.40	\$169.70
P 2382 or P 2387 with K 300 Fitting — — — — —	153.45	160.75
Length over all of Bath ($\frac{3}{4}$ inch less from finished wall line) —	63 in.	69 in.

"Standard"

PLUMBING FIXTURES



Woodmere Bath with Shower—P 2392 ES

A WOODMERE Bath equipped with Shower combines distinctive beauty with unusual convenience and comfort. The recess pattern shown above is fitted complete with Combination No. 44 Bath and Shower Fitting and K 290 nickel-plated Curtain Rod with pins, duck curtain, holdback hook and chain. Combination No. 44 Fitting consists of K 325 S nickel-plated Over-rim Nozzle Bath Fitting with removable china soap dish, $\frac{1}{2}$ inch RE-NU Valves and K 200 Built-in Shower with $\frac{1}{2}$ inch RE-NU Compression Valves.


Can also be secured with fittings in wall at right end. If desired, specify P 2390 ES. State size when ordering.

Dimensions and prices are given on following page.

Woodmere Bath—Recess Pattern

THE Woodmere recess pattern has the same luxurious appearance as the corner pattern except that it is made to install in a recess. The depth inside and height from floor are the same in both. The width from finished wall line is $32\frac{1}{4}$ inches and the rim with splash strip extends $\frac{3}{4}$ inch into wall. It is shown with shower on opposite page but if desired without shower and with same bath fitting, order P 2392 with K 325 S Fitting. This supply and drain fitting is of the concealed type, and has china B handles marked H and C. Can also be secured with fittings in wall at right end. Valves are equipped with **RE-NU** Bronze Sleeve.

To secure complete with No. 44 Combination Bath and Shower Fitting as shown, outlet in left end, order "Standard" Woodmere Bath, recess pattern P 2392 E S. With fitting and outlet in right end, order P 2390 E S.




P 2390 E S




P 2392 E S

Without Shower and with Bath Fitting only and outlet in left end, order P 2392 with K 325 S Fitting. With Bath Fitting only and outlet in right end, order P 2390 with K 325 S Fitting.




P 2390
with
K 325 S Fitting



P 2392
with
K 325 S Fitting

*Always state size when ordering.
See diagram for location of fittings and outlets.*

	5 feet	5 ½ feet
P 2390 E S or P 2392 E S	\$165.55	\$173.15
P 2390 or P 2392 with K 325 S Fitting	141.70	149.30
Length over all of Bath (1 ½ inch less between finished wall lines)	63 in.	69 in.



Pembroke Bath, Corner Pattern—P 2307 J


(See opposite page)

Pembroke—The Modern Bath


(See illustration on opposite page)

THE Pembroke is a good looking bath of modern built-in design. It is similar to the Woodmere except that it has a narrower bottom and less pronounced curves. The enormous quantity of Pembrokes made and sold makes possible a price so reasonable that it can be logically installed in modest homes. It gives an up-to-date look to the whole bathroom.


The Pembroke is 17 inches deep inside, 17½ inches high from floor and 29¼ inches wide from finished wall line. Rim is 3¾ inches. Valves are equipped with **RE-NU** Bronze Sleeve.




P 2307 J



P 2312 J




P 2305 J S



P 2310 J S

To secure complete, exactly as shown, for right corner with outlet in right end, K 300 fitting concealed in end wall, order P 2307 J. For left corner with outlet in left end, K 300 Fitting concealed in end wall, order P 2312 J.


For right corner with outlet in left end, K 370S Fitting exposed, order "Standard" Pembroke Bath P 2305 J S, in size desired. For left corner with K 370S Exposed Fitting and outlet in right end, order P 2310 J S.



PEMBROKE—
P 2305 J S with
K 370 S Fitting

See diagrams for location of fittings and outlets.

	4½ feet	5 feet	5½ feet	6 feet
P 2307 J or P 2312 J	\$102.50	\$106.40	\$112.45	\$145.60
P 2305 J S or P 2310 J S	111.45	115.35	121.40	154.55
Length over all of Bath (¾ inch less from wall line)	54 in.	60 in.	66 in.	72 in.



Pembroke Bath, Recess Pattern—P 2317 N


(See opposite page)

Pembroke Bath—Recess Pattern

(See illustration on opposite page)


THE Pembroke recess pattern is exactly the same type as the corner pattern except that it is made to install in a recess. The depth inside and height from floor are the same in both. The width from finished wall line is $29\frac{1}{4}$ inches, and the rim with splash strip extends $\frac{3}{4}$ inch into wall.

The supply and drain fitting shown, K 325, is the concealed type and has china B handles marked H and C. Both hot and cold water enter through a nozzle over rim at the end. Valves are equipped with **RE-NU** Bronze Sleeve.



P 2315 N

To secure complete, exactly as shown, with K 325 Fitting in left end wall, for left outlet, order "Standard" Pembroke Bath, Recess Pattern, P 2317 N. With K 325 Fitting in right end wall and with right outlet, order P 2315 N, in size desired.




P 2317 N

See diagrams for location of fittings and outlets.

The Pembroke Bath is also shown with various other types of fittings in 406 page "Standard" General Catalogue, in the hands of Architects, Plumbers and Contractors.


		4½ Feet	5 Feet	5½ Feet	6 Feet
P 2315 N or P 2317 N	- -	\$89.55	\$93.30	\$99.70	\$131.15
Length over all of Bath (1½					
inch less between finished					
wall lines)	- - - - -	52¾ in.	58¾ in.	64¾ in.	70¾ in.

"Standard" PLUMBING FIXTURES



Pembroke Bath with Shower—P 2322 A W

THE pier pattern Pembroke is described on opposite page. This Bath, complete with Combination No. 11W Bath and Shower Fitting, makes a particularly fine installation. Combination Fitting consists of K 302 nickel-plated Top Nozzle Bath Fitting, $\frac{1}{2}$ inch Valves; K 151 Mixing Valve Shower with K 100, $\frac{1}{2}$ -inch Mixing Valve. The purpose of the mixing valve is to regulate, by simply turning one handle, the temperature of the water for your shower. The valve works easily and is thoroughly dependable. The nickel-plated shower head is adjustable and has volume regulator. Furnished with K 292 Pier Pattern Curtain Rod and Curtain.




K 100
"Standard"
Mixing Valve
Patented
Nov. 7, 1916

The K 302 Bath Fitting is described on opposite page.

Pembroke Bath—Pier Pattern


(See illustration on opposite page)

THE Pembroke pier type pattern is the same as the corner and recess patterns in construction, except that it has a use distinctly its own. As it is built-in at back only, it can be set in center of a wall, and as both ends are free, other fixtures can be placed on each side.




P 2322 AW


The K 302 Supply and Drain Fitting shown is of the concealed type and has 1/2 inch valves with china B handles marked H, C and Drain. Both hot and cold water enter through a nozzle at the end near the top.



P 2320 AW



P 2319 J




P 2321 J

Principal wearing parts of each valve are encased in **RE-NU** Bronze Sleeve.

To secure complete, with Combination No. 11 W Bath and Shower Fitting exactly as shown, K 302 Bath Fitting concealed in back wall, for right outlet, order "Standard" Pembroke Bath, P 2322 AW. For left outlet, order P 2320 AW. Without Shower and with K 370 Exposed Fitting with 1/2 inch supplies, and outlet in left end, order P 2319 J. With fitting and outlet in right end, order P 2321 J. Specify size desired.

	5 feet	5 1/2 feet	6 feet
P 2322 AW or P 2320 AW	\$191.55	\$198.00	\$210.35
For fitting with 3/4-inch valves, add	2.10	2.10	2.10
P 2319 J or P 2321 J	146.80	153.25	165.60
For fitting with 3/4-inch supplies, add	3.00	3.00	3.00
Length over all of bath	61 1/4 in.	67 1/4 in.	73 1/4 in.
Width over all of bath (3/4 inch less from wall line)	30 in.	30 in.	30 in.

"Standard" PLUMBING FIXTURES




Pembroke Bath with Shower—P 2307 A

THE exhilarating pleasure and convenience of shower bathing has made the inclusion of a shower bath imperative in the equipment of the complete bathroom. The Pembroke Bath is described on page 13. The handles and escutcheons of Combination No. 11 Bath and Shower Fitting are china. Shower head and curtain rod are nickel-plated. The curtain is duck of proper weight to insure service. Adjustable shower head with volume regulator and mixing valve which tempers the water for shower and bath are desirable features. Fitting regularly furnished with $\frac{1}{2}$ -inch K 100 Mixing Valve.

To secure complete, exactly as shown, for right corner, order "Standard" Pembroke Bath and Shower, P 2307 A, in size desired. For left corner with outlet in left end, order P 2312 A.

P 2307 A or P 2312 A	-	-	-	-	4 $\frac{1}{2}$ feet	5 feet	5 $\frac{1}{2}$ feet	6 feet
					\$146.80	\$150.70	\$156.75	\$190.90

"Standard" PLUMBING FIXTURES




Pembroke Bath with Shower—P 2315 B

THE small additional cost makes the shower over bath the dictate of good judgment. The Pembroke Recess Bath is described on page 15. The handles and escutcheons of Combination No. 22 Bath and Shower Fitting are china, beautiful and easily cleaned. Shower head and curtain rod are nickel-plated brass. The shower curtain is good quality duck. Shower head is adjustable so that spray is directed as desired and water can be prevented from wetting the hair. Valves have **RE-NU** feature. Regularly furnished bath valves $\frac{1}{2}$ inch, shower valves $\frac{1}{2}$ inch.

To secure complete, exactly as shown, order "Standard" Pembroke Bath and Shower, P 2315 B, in size desired. For outlet in left end, order P 2317 B.

	4 $\frac{1}{2}$ feet	5 feet	5 $\frac{1}{2}$ feet	6 feet
P 2315 B or P 2317 B - - - -	\$118.75	\$122.50	\$128.90	\$161.35
If with $\frac{3}{4}$ inch bath valves, add -	2.10	2.10	2.10	2.10

"Standard" PLUMBING FIXTURES




Conred Bath—P 2460 J

Patented January 7, 1913—Patented November 11, 1913


THE "Standard" Conred Bath is a one-piece enameled built-in bath which because of its simple design is economical in price. It has a 3-inch roll rim, 17½ inches from floor, is 17 inches deep inside at outlet and sets in floor ½ inch. The width is 29 inches, which allows for rim to extend ½ inch into wall, and there is a "splash strip" to prevent any water finding its way back of the wall.

The K 375 Supply Fitting is the same type as shown on page 8, supplies are ½ inch. This bath is furnished enameled all over or enameled inside only with one coat of paint on outside. Specify when ordering. Valves have the RE-NU feature.




P 2460 J

To secure complete, exactly as shown, for left corner with outlet in right end, order "Standard" Conred Bath, P 2460 J in size desired. For right corner with outlet in left end, order P 2461 J.




P 2461 J



P 2470 J

For left corner with outlet in left end and K 300 Fitting concealed in left wall, order P 2470 J. For right corner with outlet in right end and K 300 Fitting concealed in right wall, order P 2471 J.




P 2471 J

P 2460 J or P 2461 J, Enameled all over	—	—	4 ½ feet	\$ 89.90	5 feet	\$ 93.40	5 ½ feet	\$ 99.10
P 2460 J or P 2461 J, Enameled inside only	—	—		77.15		80.65		86.40
P 2470 J or P 2471 J, Enameled all over	—	—		84.25		87.75		93.45
P 2470 J or P 2471 J, Enameled inside only	—	—		71.50		75.00		80.75
Length over all of bath (½ inch less from wall line)			54 ½ in.		60 ½ in.		66 ½ in.	

Recona Bath with Shower P 2481 B


THE "Standard" Recona Bath is the same as the Conred except that it is built for use in a recess. It is especially adapted to use in Five Foot Square or other space saving bath-rooms. Because the Conred and Recona are inexpensive built-in baths each gives, when equipped with shower, an exceptionally complete, convenient and sanitary installation with minimum investment.




Recona Bath with Shower P 2481 B

Patented January 7, 1913, November 11, 1913

The depth inside and height from floor are the same in both patterns. This bath is furnished with Combination No. 22 Bath and Shower Fitting and K 290 Curtain Rod and Curtain. Handles are marked H, C and Drain and they, with the escutcheons, are china. Shower head is adjustable. Water enters through a nickel-plated nozzle on end near top. Valves are $\frac{1}{2}$ inch and have the RE-NU feature.



P 2480 B
P 2480 J




P 2481 B
P 2481 J

To secure complete, exactly as shown, with Combination No. 22 Fitting and outlet in left end, order "Standard" Recona Bath, P 2481 B, in size desired: with outlet in left end and without shower, order P 2481 J. If wanted with Combination No. 22 Fitting and outlet in right end, order P 2480 B: with outlet in right end and without shower, order P 2480 J.

	4½ feet	5 feet	5½ feet
P 2480 B or P 2481 B Enameled all over -	\$104.60	\$108.15	\$113.95
P 2480 B or P 2481 B Enameled inside only	95.35	98.85	104.60
P 2480 J or P 2481 J Enameled all over -	80.75	84.30	90.10
P 2480 J or P 2481 J Enameled inside only	71.50	75.00	80.75
Length over all of Bath (1 inch less between finished wall lines) - - - - -	53½ in.	59½ in.	65½ in.

"Standard" PLUMBING FIXTURES



Essex Bath—P 2500 D

THE Essex Bath has a 3-inch roll rim, is 30 inches wide over rim, 17 inches deep inside at outlet and the rim is 22½ inches from floor. The K 404 nickel-plated Combination Fitting consists of double bath faucet supplying hot and cold water through one nozzle, ball offset couplings and ½ inch supply pipes, drain and overflow pipe with chain and rubber stopper. Bath furnished regularly with one coat of paint on outside.



P 2500 U

Essex Bath—P 2500 U

(With K 405 RE-NU Combination Bath and Shampoo Fitting)


Same as above except that it has a RE-NU Bath Faucet like shown on page 23, but with rubber hose and shampoo attachment, instead of riser pipe.

To secure either Bath complete, exactly as shown, order "Standard" Essex Bath P 2500 D or P 2500 U, in size desired.

		4 feet	4 ½ feet	5 feet	5 ½ feet	6 feet
P 2500 D	- - - - -	\$52.95	\$52.95	\$52.95	\$57.85	\$68.70
P 2500 U	- - - - -	60.40	60.40	60.40	65.30	76.15
If with Albadent Exterior Finish, add	- - - - -	9.75	9.75	9.75	9.75	9.75

ALBADENT EXTERIOR FINISH FOR BATHS ON PAGES 22 AND 23

For the Albadent finish, the exterior of tub is thoroughly sand-blasted and all burrs removed so that a smooth surface is obtained. The white finish is then applied in a special manner which presents a very pleasing and glossy effect.



Essex Bath on Base—P 2501 F


THIS bath is the same as that shown on previous page; measurements and finish being the same. The K 411 nickel-plated Combination Supply and Imperial Drain Fitting has double bath faucet.

Essex Bath—P 2501 Q

(With K 412 RE-NU Combination Bath and Shower Fitting)

Same as above, except with K 412 Combination Fitting consisting of RE-NU Bath Faucet with transfer valve, shower head and 24-inch riser pipe.

A half turn of the transfer valve diverts the tempered water from the bath to the shower head; also serves as a control valve, regulating to any desired pressure the flow of water through the shower.




P 2501 Q

To secure either Bath complete, exactly as shown, order "Standard" Essex Bath P 2501 F or P 2501 Q, in size desired.

		4 feet	4 ½ feet	5 feet	5 ½ feet	6 feet
P 2501 F	- - - - -	\$67.25	\$67.25	\$67.25	\$72.45	\$85.75
P 2501 Q	- - - - -	76.80	76.80	76.80	82.00	95.30
If with Albadent Exterior Finish, add	- - - - -	11.45	11.45	11.45	11.45	11.45
Length over rim, bath only	- - -	48 ¼ in.	54 ¼ in.	60 ¼ in.	66 ¼ in.	72 ¼ in.

SITZ and FOOT BATHS. In the "Standard" General Catalogue are shown additional Baths, Bath Fittings, Sitz and Foot Baths. Ask your Architect, Plumber or Contractor to show these to you.

"Standard" PLUMBING FIXTURES



Shower—K 113

Number Covers Shower Only

THIS Stall Shower gives an unusually fine and convenient installation. The six body sprays, three on each side, and the head shower have adjustable ball joints which permit their being set to any desired angle. Body sprays and head shower are both served by the K 100 Mixing Valve but have separate RE-NU Valves which permit either unit being used independently of the other. With tiled floor in place of Receptor, any width recess can be used.

To secure as shown, less Door, Receptor and Drain, order K 113 - - - - - \$103.45

Add for P 2515 36x36" Receptor and Drain - - - 71.75

Add for P 2515 42x42" Receptor and Drain - - - 96.10

Shower with Glass Door, 36x36" Receptor and Drain 465.20


Shower with Glass Door, 42x42" Receptor and Drain 489.55

THIS Recess Stall Shower has shower head with ball joint which permits directing of spray to desired angle. Small perforations in U shaped pipes on both sides of stall give many fine streams or what is known as a needle bath. The K 102 Mixing Valve tempers water to suit for both head and needle shower and separate control valves allow either shower to be used with or without the other. Complete Shower regularly furnished for recess 38 inches square and for other sized recesses when specified.

To secure as shown, for 38x38" recess, order K 127 - \$98.00

Floor Strainer, extra.

Add for K 290 Curtain Rod, across front of 38" recess, with white duck curtain - \$7.40




Shower—K 127

Number Covers Shower Only


THIS is one of the newer types of nickel-plated U Type curtain rod Showers. It has adjustable head directing stream to any angle. The K 100 Mixing Valve tempers water for Shower and Shampoo, each controlled by separate china B handle RE-NU Valves.

This fixture is readily and inexpensively installed over a built-in bath. Furnished with duck curtain.

To secure complete, exactly as shown, order "Standard" Shower Combination, K 163 - \$57.75



Shower—K 163




*Shower and Bath
Faucet—K 668*

Number does not include bath

THIS is the "Every Home" Shower, so named because price and adaptability should cause it to be installed in new and old bathrooms. Shower has nickel-plated high riser pipe, adjustable ball joint shower head, curtain rod and large duck curtain. The D Type curtain rod allows ample room.

Double Bath Faucet with transfer valve supplies both Bath and Shower.

To secure "Standard" Shower and Faucet with transfer valve as shown, less Bath, order K 668
- - - - - \$32.30



Shower K 151


IN the "Standard" General Catalogue are many Showers, from the very simple to the many varied, elaborate Showers designed for all preferences and conditions. The real essentials of the finest Showers are the shower head and mixing valve. This combination is shown here.

Water is tempered by the K 100 $\frac{1}{2}$ -inch Mixing Valve which is safe, dependable and the parts few and accessible. Maximum high temperature of water to be delivered can be set by a small adjusting screw, provided the cold supply is not entirely shut off. This feature is a safeguard against scalding and insures proper mixture. Volume Control in shower head regulates the force without changing the mixture.

To secure exactly as shown, order "Standard" Shower K 151—\$28.80

A Shower reduced to its simplest form, though very practical and satisfactory, is the one shown here. Hot and cold water supply is controlled by two valves with china B handles. Cast brass shower head has ball joint to adjust stream to any angle.

*To secure exactly as shown, order
"Standard" Shower K 200 - \$13.85*



Shower K 200


"Standard" PLUMBING FIXTURES

THE Copley is enameled, with oval top, and is made in two sizes. Has K 700 York Combination Supply and Lift Drain Fitting with RE-NU Valves, supplying tempered water through one spout. China B handles and escutcheons reduce nickel-plating to a minimum.

K 792 Supply Pipes have valves below bowl with handles marked H and C. Equipped with K 960 1¼-inch Trap.

Size, 18x27 inches - \$69.10


Size, 22x33 inches - 79.95



Copley—P 3057 G

To secure complete, exactly as shown, order "Standard" Copley Lavatory, P 3057 G, in size desired.

"Standard" RE-NU Valves have internal bronze sleeves which, with the stems, comprise the only parts subject to wear. These when worn can be replaced at a nominal cost.




Bruceton—P 3130 C

THE Bruceton is enameled—33 inches long and 24 inches wide. Hot and cold water is supplied through one spout by K 715 Malta Combination Fitting with RE-NU Valves. China B handles are marked H and C. Lift Drain has china knob. K 792 Supply Pipes have valves below bowl, marked H and C. Equipped with K 974 1¼-inch Trap, \$88.65.

To secure complete, exactly as shown, order "Standard" Bruceton Lavatory, P 3130 C.

"Standard" PLUMBING FIXTURES



Laton—P 3117 G

THE Laton Lavatory has proved to be one of our most popular patterns. It is enameled, and like the one shown below, is made in three sizes. The K 700 York Combination Fitting has RE-NU Valves with china handles marked H and C, and Lift Drain with china knob. K 792 Supply Pipes have valves beneath bowl so either hot or cold water may be shut off, if necessary, without shutting off water to the rest of bathroom. Equipped with K 960 1¼-inch Trap.


Size, 20x24 inches	- - - - -	\$56.60
Size, 22x27 inches	- - - - -	61.75
Size, 22x30 inches	- - - - -	67.10

To secure complete, exactly as shown, order "Standard" Laton Lavatory, P 3117 G in size desired.

THIS Laton is fitted with the popular K 710 S Donora Combination Fitting with "lift-off" china soap dish. Fitting has RE-NU Valves supplying tempered water through one spout, china B handles and escutcheons, chain and rubber stopper. Lavatory equipped with K 792 Supply Pipes, K 960 1¼-inch Trap.

Size, 20x24 inches	-	\$56.60
Size, 22x27 inches	-	61.75
Size, 22x30 inches	-	67.10

To secure complete, exactly as shown, order "Standard" Laton Lavatory, P 3117 HS in size desired.




Laton—P 3117 H S

"Standard" PLUMBING FIXTURES

THE "Standard" Ophir is the largest seller of its type and shape. It is extremely serviceable and its simple lines appeal to many purchasers.

The Ophir is enameled and is furnished with under side of slab and bowl painted one coat. It is supported on hanger and is equipped with K 1033 Faucets with handles marked H and C, K 760 Princess Lift Drain, K 791 Supply Pipes and K 960 1 1/4-inch Trap.




Ophir—P 3847 E

To secure complete, exactly as shown, order "Standard" Ophir Lavatory, P 3847 E, in size desired.

Sizes	18x24 inches	20x24 inches	22x27 inches
	\$36.00	\$40.00	\$53.75

Can also be furnished with K 757 Chain Stay with Chain, K 758 Plug and Rubber Stopper and K 1013 Faucets at a reduction of \$5.70. If wanted, specify P 3847 NZ.



Othello—P 4205 R


THE "Standard" Othello is enameled, and is furnished in two sizes. Supported on concealed hanger and equipped with K 758 Plug and Rubber Stopper, K 1010 Faucets marked H and C, K 791 Supply Pipes and K 960 1 1/4-inch Trap.

Size 17x19 inches	-	-	\$23.80
Size 18x21 inches	-	-	25.25

To secure complete, exactly as shown, order "Standard" Othello Lavatory P 4205 R, in size desired.

The 18 x 21 inch size can be furnished with K 760 Lift Drain instead of K 758 Plug and Stopper. If desired, order P 4207 R - - - \$29.90

"Standard" PLUMBING FIXTURES



Marco—P 4219 TZ

Size 14x26 inches - - - - - \$32.40


To secure complete, exactly as shown, order "Standard" Marco Lavatory P 4219 TZ

Can also be furnished with K 763 Princess Drain with China Lever Handle through lavatory back, and K 1011 China Lever Handle Faucets. If desired, order P 4219 W - - - - - \$36.35

THE "Standard" Anglo is a substantial and very simple enameled corner lavatory. It is furnished with soap dish cast in slab and under side of slab and bowl painted white.

It is supported on two concealed hangers and is equipped complete with K 1013 Faucets marked H and C, chain, K 758 Plug and Rubber Stopper, K 791 Supply Pipes and K 960 1¼-inch Trap.

To secure complete, exactly as shown, order "Standard" Anglo Lavatory, P 4955 N in size desired. If without integral soap dish and with K 760 Lift Drain and K 1011 China Lever Handle Faucets, order P 4957 W.



Anglo—P 4955 N


		Sizes	
		16 Inch	19 Inch
P 4955 N	- - - - -	\$27.40	\$30.05
P 4957 W	- - - - -	31.55	34.20

HERE are three inexpensive yet practical lavatories—Beverly, Everett and Alva, the smallest "Standard" lavatory. Beverly and Alva are supported on single wall hangers and have K 1010 Faucets. Everett is supported on two hangers and has K 1013 Faucets. All three have chain, K 758 Plug and Rubber Stopper and K 960 1¼ inch Trap. Under side of slab and bowl of each lavatory is painted white. To secure complete, exactly as shown, order by name and plate number in size desired.


The Beverly—P 4335 R

Size 17x19 inches - - \$21.35
Size 18x21 inches - - 23.90

The 18x21 inch size can be furnished with K 760 Lift Drain and K 1011 China Lever Handle Faucets. If desired, order P 4337 W - - - - \$28.55



Beverly—P 4335 R



Alva—P 4365 R


The Alva—P 4365 R

Size 14¾ wide by 16 from back to front - - - \$20.50

The Everett—P 5085 N


Size 16 inches - - - \$23.70
Size 19 inches - - - 29.45

The 19 inch size can also be furnished with K 760 Lift Drain and K 1011 Faucets. If desired order P 5087 W - - \$33.60



Everett—P 5085 N

“Standard” PLUMBING FIXTURES



Penwood—F 118 G
Patented November 30, 1909


THE “Standard” Vitreous China Penwood and Kenmawr Lavatories have unusual features. Simplicity of design and minimum of exposed nickel-plating make them easy to clean. The lift drain with china knob and metal stopper is the most sanitary drain made. Each lavatory has oval bowl and they differ only in that the Penwood has vitreous china pedestal while the Kenmawr has wall brackets and vitreous china leg. Hot and cold water enter through Combination Fitting with RE-NU Valves and integral china spout. The K 792 Supply Pipes have valves below bowl marked H and C. The K 960 Trap is 1¼ inch size.

To secure complete, exactly as shown, order “Standard” Penwood Lavatory, F 118 G, in size desired, or “Standard” Kenmawr, F 218 G.

SIZES

	21x24 inches	22x27 inches	24x30 inches
F 118 G— — — — —	\$64.40	\$70.95	\$83.10
F 218 G— — — — —	55.05		


The Kenmawr and Penwood 21x24 inch size have indented Soap Dish.




Sectional View of
Penwood-Kenmawr Bowl

Sectional view of the Penwood and Kenmawr illustrates the integral Mixing Chamber and supply opening. This feature provides for a single stream of hot, cold or tempered water directed toward center of bowl.

Metal above the slab is practically eliminated. Note the anti-splash rim, also that slope of bowl accelerates drainage.



Kenmawr—F 218 G
Patented



Insist on "Standard" Fittings For Your Plumbing Fixtures

SPECIFY clearly that your "Standard" Plumbing Fixtures are to be fitted with "Standard" Brass Goods, which are made to fit, complete and in every way harmonize in quality and durability.

"Standard"
BRASS GOODS

FIT

"Standard"
PLUMBING FIXTURES


"Standard" Plumbing Fixtures when fitted complete with "Standard" Brass Goods center responsibility for complete fixtures on one manufacturer. The trade mark "Standard" is your insurance.

See complete display of "Standard" Brass Goods in "Standard" Showroom.

Where "Standard" PLUMBING




Tiffin, Ohio, Pottery




Pittsburgh, Pa., Works




Pacific Pottery Works



New Brighton, Pa., Works



Pacific Pottery No. 1
Richmond, Calif.



Louisville

Seeing these "Standard" Factories should give you confidence in "Standard" Plumbing Fixtures.

"Standard" Factories will supply your Home with health and comfort giving plumbing fixtures of first quality, just as they have supplied millions of other American homes. Since 1900 they have produced more than twenty-eight million "Standard" Plumbing Fixtures.

You can equip your home entirely with "Standard" Plumbing Fixtures and so center the responsibility for the whole installation on one reliable manufacturer. "Standard" Factories not only make every type of plumbing fixture and accessory the public requires, but also make more of each kind than the factories of any other manufacturer in the world.

Standard Sanitary Mfg. Co.

WAREHOUSES

Boston, Mass.	-	-	-	-	-	365 C Street, South Boston
Long Island City, N. Y.	-	-	-	-	-	556 Northern Boulevard
Newark, N. J.	-	-	-	-	-	528-534 Ferry Street
Philadelphia, Pa.	-	-	-	-	-	Glenwood Avenue and Oxford Street
Portland, Ore.	-	-	-	-	-	Fifteenth and Lovejoy Streets
San Francisco, Calif.	-	-	-	-	-	1000 Brannan Street
Seattle, Wash.	-	-	-	-	-	1242 First Avenue, South


CABINET
SANITARY
SANITARY

ard" are Made

XTURES



Works
Calif.




Baltimore, Md., Works




Kokomo, Ind., Pottery



Works



Pacific Pottery No. 2
San Pablo, Calif.



Toronto, Canada, Works

These one hundred and seventy-three and one half acres of buildings are not merely factories of mechanical industry, but they are peopled with ten thousand interested workers, anxious to keep "Standard" Plumbing Fixtures unsurpassed in quality. Most of these employees have been with this Company many years and own stock in it.

"Standard" Factories are ready to serve you. Their products will make your home more comfortable and convenient and will protect and foster the health of your family.

The fixtures and fittings not shown in this catalogue can be seen in the large "Standard" General Catalogue which your Architect, Contractor or Plumber will be glad to show you.

GENERAL OFFICES PITTSBURGH, U. S. A.

EXPORT

NEW YORK, N. Y., 50 Broad Street

SAN FRANCISCO, CALIF., 1000 Brannan Street

HAVANA, CUBA, Edificio Royal Bank of Canada No. 417, Aguiar No. 75

BUENOS AIRES, ARGENTINE REP., S. A., Edificio Britanico

TOKIO, JAPAN

SHANGHAI, CHINA


MANILA, P. I.

MELBOURNE AND SYDNEY, AUSTRALIA

AUCKLAND, N. Z.


RE-NU Feature of "Standard" Faucets and Valves

THE removable barrel or working unit containing the seat and threads embodies a principle of construction that makes for the almost perpetual life of the fitting. The principal parts subject to wear in the ordinary type of faucet (the seat and body threads) are in "Standard" RE-NU line an integral part of the removable barrel which is made of high grade bronze metal. This permits easy replacement of these parts at small expense, making the RE-NU Faucet in operation as good as new.



NOTE THE SIMPLICITY OF RE-NU CONSTRUCTION

The stem with packings and washer is identical to those used in regular compression and quick compression work. The only additional part used is the bronze barrel itself.



China B Handle

The RE-NU Unit is made in two sizes; a small size in keeping with volume required for lavatory and sink, a larger size providing volume necessary for quick filling of bath and a forceful shower. A, B and C designate type of handle. China B Handle is a four-arm china handle with china index button. It is the most popular handle.

Standard Sanitary Mfg. Co.

Pittsburgh


THE TRADE MARK **"Standard"** IS YOUR INSURANCE

"Standard"

PLUMBING FIXTURES

THE "Standard" Blackford is the most popular pedestal type vitreous china lavatory. Equipped with the K 711 S Donora Combination Fitting with "lift-off" china soap dish and RE-NU Valves supplying tempered water, it is a beautiful and convenient fixture. Has K 792 Supply Pipes with valves and K 960 1¼-inch Trap.

To secure complete, exactly as shown, order "Standard" Blackford Lavatory, F 107 H S, in size desired.




Blackford—F 107 H S

Sizes 20x24 inches
\$62.00

22x27 inches
\$68.55

24x30 inches
\$80.70



Blackford—F 107 G

THIS "Standard" Vitreous China Blackford Lavatory will correspond perfectly with any other fixtures which you may choose for your bathroom. It has K 701 York Combination hot and cold water Fitting with RE-NU Valves with water entering through exposed spout and has K 792 Supply Pipes with valves below bowl. Equipped with K 960 1¼-inch Trap.

To secure complete, exactly as shown, order "Standard" Blackford Lavatory, F 107 G, in size desired.

Sizes 20x24 inches
\$62.00

22x27 inches
\$68.55

24x30 inches
\$80.70

Blackford 20x24 inch size has indented soap dish

PLUMBING FIXTURES



Randall—F 257 G

THIS "Standard" Vitreous China Randall Lavatory with K 701 York Combination hot and cold water Fitting with RE-NU Valves, Lift Drain and hooded overflow is a pleasing fixture and becomes a valuable addition to any bathroom. It has K 792 Supply Pipes with valves below bowl and K 960 1 1/4-inch Trap.

To secure complete, exactly as shown, order "Standard" Randall Lavatory, F 257 G, in size desired.

[illegible]

Randall 18x20 inch size is furnished with open overflow.

THE "Standard" Vitreous China Hibben Laboratory is similar to the Randall except that it has no back. Hot and cold water enters through one spout of K 701 York Combination Fitting which has RE-NU Valves. K 792 Supply Pipes have valves below bowl with handles marked H and C. Equipped with K 960 1 $\frac{1}{4}$ -inch Trap.

To secure complete,
exactly as shown, order
"Standard" Hibben Lava-
tory, F 207 G, in size
desired.



Hibben—F 207 G


[illegible]

Hibben 18x20 inch size is furnished with open overflow.

"Standard" PLUMBING FIXTURES


STURDY simplicity of this "Standard" Vitreous China Merchant Lavatory, gains for it instant approval. It has a back 7½ inches high. Equipped with K 711 Donora Combination hot and cold water Fitting with RE-NU Valves, china handles and escutcheons, chain and rubber stopper, K 792 Supply Pipes with valves below bowl and K 960 1¼-inch Trap.

To secure complete, exactly as shown, order "Standard" Merchant Lavatory, F 277 H.



Merchant—F 277 H

Size, 21x24 inches - - - - - \$61.55




Maco—F 227 G

FOR those preferring the above lavatory, but without back, the "Standard" Vitreous China Maco Lavatory is provided. Has K 792 Supply Pipes with valves with handles marked H and C, and K 960 1¼-inch Trap. Hot and cold water is supplied through K 701 York Combination Fitting. Fitting has RE-NU Valves with china handles and escutcheons.

To secure complete, exactly as shown, order "Standard" Maco Lavatory, F 227 G.

Size, 21x24 inches - - - - - \$52.65

"Standard" PLUMBING FIXTURES



Lucerne—F 357 W Z

ONE of the most popular types of plain wall hanging lavatories is the "Standard" Vitreous China Lucerne. This fixture has chain, K 758 Plug and Rubber Stopper, K 1011 Faucets with china lever handles marked H and C, K 791 Supply Pipes with valves so that water can be shut off, if necessary, without disturbing supply to other fixtures, and K 960 1¼-inch Trap.

To secure complete, exactly as shown, order "Standard" Lucerne Lavatory, F 357 WZ, in size desired.

Size, 18x20 inches, Back, 6 inches	- - - -	\$31.35
Size, 20x24 inches, Back, 7 inches	- - - -	45.35

Lucerne 20x24 inch size is furnished with hooded overflow and with enameled wall brackets, in addition to wall hanger.

THE "Standard" Vitreous China Carmen Lavatory is exactly like the Lucerne except that it has a round front. It is made only in the 18x20-inch size and is shown here with the same fittings as on the Lucerne.

To secure complete, exactly as shown, order "Standard" Carmen Lavatory, F 377 WZ. - \$31.35


If wanted with same trimmings except with K 1021 China Lever Handle Faucets and K 760 Lift Drain with china knob in place of chain, plug and rubber stopper, order F 377 B. - - \$36.45



Carmen—F 377 WZ

"Standard" PLUMBING FIXTURES


THE "Standard" Vitreous China Marcosa Lavatory takes up very little space and for this reason makes an excellent fixture for the smaller type of bathroom. It measures 26½ inches along the wall and extends only 14¼ inches from the wall to the front. Has small faucets, K 1010, marked H and C, K 791 Supply Pipes, chain, K 758 Plug and Rubber Stopper and K 960 1¼-inch Trap.



Marcosa—F 319 RZ

To secure complete, exactly as shown, order "Standard" Marcosa Lavatory, F 319 RZ - - - - - \$31.35

Can also be furnished with K 766 Princess Drain with Four Ball Metal Handle through lavatory back. If desired, order F 319 R - - - - - \$36.80



Fenwick—F 387 WZ

THE "Standard" Vitreous China Fenwick Lavatory, which measures 17 inches from corner to end on sides, is one of our most popular patterns and makes a very acceptable fixture where a corner lavatory is desired. Furnished with K 1011 Faucets having handles marked H and C, K 790 plain wall Supply Pipes, chain, K 758 Plug and Rubber Stopper and K 960 1¼-inch Trap.

To secure complete, exactly as shown, order "Standard" Fenwick Lavatory, F 387 WZ - - - - - \$38.80

The Question of Closets is Important



IN planning the plumbing for your home, no item is more important than providing sufficient and good, water closets. The health and comfort of yourself, your family and your guests depend so much on the closet facilities that you should make sure that the question of closets is fairly and fully answered.

Physicians, as you probably know, are frank in saying that neglecting or postponing the promptings of the body is injurious to health and the cause of many disorders. "Regularity" is important to grown-ups as well as to children. Provision should be made so that there is always a closet conveniently available.

Many home builders provide for a closet on the first floor and one in the basement as well as one in each bathroom. This arrangement usually gives ample closet facilities and saves much time and climbing of stairs.

The "Standard" Purimo and Devoro Closets are both so quiet in action that they are particularly suited for first floor installations. The mistake should not be made of putting a cheap, unsanitary closet in the basement. Sanitation and efficient action are as necessary there as elsewhere in the house.

Importance of Quality in Closets

One has only to consider its function and realize that the closet is the connection between the sewer and the home to appreciate the need for correct design and first quality materials. The well being of all who live in your home demands that the closets be as dependably good as it is possible to obtain.

A quality little understood and appreciated in closets is known as the "seal." It is the depth of water which acts as a valve in shutting out sewer gases. It is readily apparent that for sanitation this depth of water or "seal" must be adequate and constant and for complete safety, more than what is usually adequate.


ANOTHER vital feature in closets is a minimum of soiling area in the bowl. When the bottom and much of the sides of the bowl are covered with water, a single flushing will make the closet clean and sanitary.

It is important that a closet have good tank fittings. If they become out of order the action of the whole closet is stopped or impaired. The corrosive action of water in many localities makes it imperative that the fittings be of very best quality. It is desirable, of course, that they be quiet in operation.

You can have confidence in "Standard" Closets. They are made and sold as complete units. Each part is designed and made to work harmoniously with the other parts. Each closet is trade marked "Standard" and so has the backing of this Company.

The bowls and tanks of the "Standard" Closets shown on succeeding pages are made of the finest possible material, genuine Vitreous China. Because it is impervious throughout its structure, it will not absorb filth and moisture. Its glossy, white surface is readily kept sparkling, clean and will not stain, chip or craze. "Standard" Potteries in which it is produced, make more Vitreous China Plumbing Fixtures than the Potteries of any other Manufacturer.

"Standard" Tank Fittings combine quietness with efficiency. They embody years of research and manufacturing experience. All working parts are heavy red metal to resist corrosion and are almost all above water line. They are adjustable to varying pressures and prevent waste of water.



“Standard” PLUMBING FIXTURES

ALL water closets empty on the principle of syphonage. Those which start syphonage by a powerful jet located in the bottom of the bowl are the most efficient.



Devoro—F 2200


Patented March 16, 1915

The “Standard” Devoro Closets are syphon jet closets, the jet construction being designed along lines indicated by years of experience.

All the essentials of closet construction have been embodied in the Devoro in correct relation to their importance. It provides prompt removal of bowl contents with quiet action. Ample depth of water in the bowl provides safe seal against entrance of sewer gas. The large surface area of this seal minimizes possibility of fouling walls of bowl, while water through rim gives thorough cleansing.

The tank fittings are shown on page 43 and all their special and unique advantages thoroughly described.

The beauty of the Vitreous China Devoro F 2200 is due to its simple lines and square pedestal foot. Its appearance has been enhanced with the all white china operating lever and white flush connection. The Devoro shown here has F 6503 “Standard” White Seat and Cover. It is equipped with valve on supply pipe so closet can be shut off, if necessary, without shutting off water to other fixtures.



Cross Section of
DEVORO Closet, F 2200

To secure complete, exactly as shown, order “Standard” Devoro Closet F 2200 — — — — — \$80.00

THE Devoro All White Syphon Jet Closet is exactly like the Devoro described on preceding page with the additional feature of entire elimination of exposed nickeled brass, giving a complete white surface, easily cleaned. This is accomplished by special tank fittings suitable for concealed supply pipe coming through back of tank above the water line. The F 6503 "Standard" White Seat with cover has concealed bar hinge to match.

A control stop on inside of tank allows the flow of water to be regulated or shut off entirely without affecting the supply of water to other fixtures.

To secure complete, exactly as shown, order "Standard" DEVORO All White F2100 - - - - - \$80.00
If desired with extended front, order F 2101 - - - - - 85.00



DEVORO All White—F 2100
Patented March 16, 1915



Devoro—F 2201
Patented March 16, 1915

To secure complete, exactly as shown, order "Standard" Devoro Closet, F 2201 - - - - - \$85.00

THIS Devoro is exactly like the Devoro on preceding page except that the bowl is extended in front. This is a sanitary feature that has not been so fully appreciated in homes as in public toilets but is increasing in favor as more thought is given to proper selection of fixtures. The open front F 6511 Seat with Cover conforms to the shape of the bowl and is considered as the most cleanly type.

"Standard" PLUMBING FIXTURES

THE Purimo is a Syphon Jet Closet employing the working properties of the Devoro with the addition of Non-Soiling Rim. The demonstration of the sanitary importance of the extended front of

the water closet bowl is evidence that an equally efficient feature at the rear must prove highly desirable.

This closet provides the highest type of a sanitary rim, at the same time retaining the compact form of the ordinary closet.

A highly important essential in a non-soiling flushing rim is a minimum area of fouling space, and in this respect the PURIMO is unequalled.

This PURIMO Closet is as near noiseless as any water closet can be made and yet retain its efficient working qualities.



Purimo—F 2211

*Patented April 15, 1913; Nov. 3, 1914;
March 16, 1915*

This is the ideal closet from a sanitary viewpoint, and has only to be seen and tested to have its many good points appreciated.




Top View of
P U R I M O
Bowl, showing
Sanitary
Features

The combination shown has vitreous china tank and bowl with white flush connection, "Standard" Tank Fittings described on page 43, and F 6555 "Standard" White Seat with Cover. Is equipped with

valve on supply pipe so water can be shut off if necessary, without shutting off water to other fixtures.

To secure complete, exactly as shown, order "Standard" Purimo Closet, F 2211, - - \$100.00



Cross Section of
PURIMO Closet, F 2211

"Standard" PLUMBING FIXTURES

WHERE a good closet is demanded and price is a consideration the Siacto is recommended. It is sanitary, dependable and fairly quiet acting. The seal is ample. It has good lines and with its square pedestal makes an excellent appearance. The Siacto is made of genuine vitreous china as are all "Standard" Closets and has the "Standard" Tank Fittings described on page 43.

This closet, like all shown in this catalogue, is assembled complete by this Company. Every part is designed especially for its particular purpose and with regard to its relation to the other parts with which it functions.

This insures harmony of design, smoothness and certainty of operation and the centering of responsibility for the complete combination with this Company. Each Closet comes packed complete.

To secure complete, exactly as shown order "Standard" Siacto Closet, F 2288 - - - - - \$70.00




Siacto—F 2288



Siacto—F 2289

THE Siacto can be had with sanitary extended front with F 6531 open front "Standard" white seat and cover. This construction has obvious hygienic advantages as well as avoiding accidental soiling of the floor.

To secure complete, exactly as shown with extended front, order F 2289 - - - - - \$73.00



Cross Section of
SIACTO Closet,
F 2288

"Standard" PLUMBING FIXTURES

THE Expulso Closet, on account of an important patented economical bowl feature, is offered at the moderate price given below. The Expulso Bowl provides an entirely new method of closet




Expulso—F 2228
Patented March 23, 1915

operation. It employs a curved channel extending down the front of the bowl cavity. By means of this channel, the water (all of which enters the bowl through the flushing rim), is concentrated at a point identical with that where the water enters through the jet in the Syphon Jet Bowl. Action is sustained as fully as in the Syphon Jet Bowl, by the continued expulsive effect of the water rushing down the curved channel.

Reduced size of bowl and moderate cost, is made possible by arranging the water supply through the rear of the bowl instead of through the top.

The tank and bowl are vitreous china with white flush connection and "Standard" white seat and cover, F 6523. The tank is fitted with the durable, efficient and quiet "Standard" fittings described on page 43, operated with all white china lever. Supply pipe is furnished with valve to shut off water, if necessary, without shutting off water to other fixtures.



Cross Section of
EXPULSO Closet
F 2228

"Standard" closets are exhibited in all "Standard" showrooms. If possible, visit one of these showrooms, where you can study all types of closets and select those best adapted for your installation.

To secure complete, exactly as shown, order
"Standard" Expulso Closet, F 2228 - \$70.00

If wanted with open front seat and extended front, order "Standard"
Expulso Closet, F 2229 - - - - - \$73.00

THE low price of the Ejecto Closet places it within reach of the most economical purchaser and we believe it represents the utmost value at the price. Operation is secured by the accumulation of the water in the bowl until it acquires sufficient weight to partly expel the air from the syphon leg and set up, without any backing up or break, the syphonic action by which the bowl contents are discharged.

The Ejecto is offered as a practical, serviceable closet with all essential features that a sanitary fixture must have.

The tank and bowl are vitreous china with white flush connection, china lever and F 6561 "Standard" White Seat with cover.


It is equipped with "Standard" Tank Fittings described on page 43 and with valve on supply pipe.



Ejecto—F 2238

Patented March 23, 1915

To secure complete, exactly as shown, order "Standard" Ejecto Closet, F 2238 - - - - \$55.00




Cross Section of
Ejecto Closet,
F 2238



"Standard" White Seats and Covers

"Standard" White Closet Seats are durable, sanitary and attractive. In their manufacture, a pure white material in sheet form is applied under extreme hydraulic pressure to well seasoned wood. The seats have a highly polished, glossy, white finish, unexcelled as a sanitary surface and are very easily kept clean. Each genuine "Standard" White Seat has trade mark "Standard" pressed in.

"Standard" PLUMBING FIXTURES



"Standard" Bathroom Accessories

"Standard" Bathroom Accessories are made of genuine vitreous china. Every design is strong and practical. All projections have properly rounded corners to prevent accidental nipping or chipping. They are made to cement into the tile and occupy the space of one or more of the commonly used sizes of tile. They harmonize nicely with built-in baths and pedestal lavatories and make a permanent installation of lasting beauty. See them in a "Standard" Showroom or have your Architect, Plumber or Contractor show you detailed information in "Standard" General Catalogue.



"Standard" Kitchen Sinks

Is your sink yardstick high?

THE Kitchen has risen to a new plane of appreciation. No longer is it a place of drudgery. The essential work is accomplished, for the most part, pleasantly, easily and cheerfully.

The importance of the Kitchen has directed to it a great deal of thought, resulting in many labor saving devices and bringing about the Kitchen's complete transformation.

All these devices have a more or less direct relation to the work at the Kitchen Sink.

The Sink, then, is the pivotal center, the fixture of importance from a sanitary and labor saving standpoint.


That is why "Standard" Sinks are designed without crack, joint or crevice, all in **ONE-PIECE** and in beautiful white glossy finish that radiates cleanliness. They are easily kept spotless.

"Standard" Sinks meet every requirement of convenience; being made with single and double drain boards, with single and double sink compartment, for left and right corner and recess, also with laundry trays in space saving combinations.

Strong wall hangers have eliminated necessity for sink legs, thereby providing unobstructed floor space and for the setting of sinks at any desired height. The "Standard" recommendation of 36 inches from floor to top of rim has been gratefully accepted by many women who were quick to see the greater comfort and ease of working due to the more natural posture possible with it.

If your sink is not "yardstick high," then compare it with the "Standard" Sinks shown in this catalogue. Note the beauty of design, variety of sizes and patterns and the Swinging Spout Faucet.

Since the year 1900, there has been sold more than 3,800,000 **ONE-PIECE** sinks of the various patterns shown in this book. You are not experimenting when you purchase a "Standard" **ONE-PIECE** Sink.



Clinton—P 6710 QS
(See opposite page)

Clinton—P 6710 Q S

(See illustration on opposite page)

THIS "Standard" sink represents the last word in the manufacture of enameled sinks.

A sink of this type in your kitchen will add far more than its cost to the value of the home. From a sanitary standpoint your kitchen will be one of the show places of your home. Now that competent help is so difficult to obtain, such a sanitary, labor saving sink will attract and hold better help.

This sink, set yard stick high, provides comfort and prevents back-strain. Avoid setting sink as low as 30 inches.

The K 900 S nickel-plated **RE-NU** Compression Combination Double Sink Faucet has spout that swings out of the way, rinses dishes without moving dish pan aside and adjusts temperature of water as desired. It has stream regulator which prevents splashing and internal bronze sleeves which, with the stems, comprise the only parts subject to wear. These, when worn, can be replaced at a nominal cost, avoiding expense of a new faucet.

The K 759 *Duplex* Strainer has a grating which you can remove to clean or insert rubber stopper to retain water in sink. The K 960 Trap, 1½-inch size, is nickel-plated.




K 900 S
Swinging Spout RE-NU
Faucet with Soap Dish

To secure complete, exactly as shown, with double drain boards, all in one-piece, order "Standard" Clinton Sink, P 6710 QS, in size desired. Sink back is 12 inches high. Depth inside, 6 inches.

Size	- - - - -	22x60 in.	20x74 in.	22x78 in.
Sink	- - - - -	22 ¼x22 in.	20 ¼x26 in.	22 ¼x28 in.
Length of drain boards	- - - - -	19 ¼ in.	24 ¼ in.	25 ¼ in.
Length over all	- - - - -	60 ½ in.	74 ½ in.	78 ½ in.
Apron	- - - - -	6 in.	5 ½ in.	6 in.
P 6710 QS	- - - - -	\$97.00	\$110.05	\$117.55

"Standard" PLUMBING FIXTURES




Bedford—P 6707 QS

THIS "Standard" Sink is enameled and has a drain board on either right or left end, as desired. (See diagrams below.) The back is 12 inches high, and sink is supported on concealed wall hangers. Legs have been eliminated to permit easier cleaning and setting of sink at any desired height. Yard stick high from rim to floor is recommended. This height was determined scientifically and first published by this Company. The K 900 S nickel-plated RE-NU Combination Sink Faucet with swinging spout has stream regulating device. Sink outlet has K 759 Duplex Strainer with removable grating. K 960 1½-inch Trap is nickel-plated. Depth inside, 6 inches.



P 6707 QS




P 6706 QS

To secure complete, exactly as shown, order "Standard" Bedford Sink, P 6707 QS; with drain board on right end, order "Standard" Bedford P 6706 QS, in size desired.


Size	- - - - -	20x42 in.	20x52 in.	22x60 in.
Sink	- - - - -	20 ¼x22 ¼ in.	20 ¼x28 ¼ in.	22 ¼x34 ¼ in.
Length of drain board	- - - - -	20 ¼ in.	24 ¼ in.	26 ¼ in.
Length over all	- - - - -	42 ½ in.	52 ½ in.	60 ½ in.
Apron	- - - - -	5 ½ in.	5 ½ in.	6 in.
P 6707 QS or P 6706 QS	- - -	\$55.15	\$71.35	\$85.95

"Standard" PLUMBING FIXTURES




Wayne—P 6720 QS

THIS "Standard" Enameled Sink has an end for installing in a corner. Concealed hangers give ample support. They permit sink to be set at height convenient to user, preferably 36 inches. Many women have benefited by following this "Standard" suggestion. Back is 12 inches high. K 900 S RE-NU Double Sink Faucet is fully described on page 53. Outlet has K 759 Duplex Strainer. K 960 1½ inch Trap is nickel-plated. Made for either right or left corner and with drain board at right or left end for each corner. (See diagrams.)




P 6720 QS




P 6715 QS

To secure for left corner complete, exactly as shown, order "Standard" Wayne Sink, P 6720 QS; with drain board in right corner, order P 6721 QS. For left corner with drain board at right end, order P 6715 QS; with drain board at left end for right corner, order P 6716 QS. Always state size desired.




P 6721 QS



P 6716 QS


Size	—	—	—	—	—	—	—	—	20x42 in.	20x52 in.	22x60 in.
Sink	—	—	—	—	—	—	—	—	20 ¼x22 ¼ in.	20 ¼x28 ¼ in.	22 ¼x34 ¼ in.
Length of drain board	—	—	—	—	—	—	—	—	20 in.	24 in.	26 in.
Length over all	—	—	—	—	—	—	—	—	42 ¼ in.	52 ¼ in.	60 ¼ in.
Apron	—	—	—	—	—	—	—	—	5 ½ in.	5 ½ in.	6 in.
P 6720 QS or P 6721 QS	—	—	—	—	—	—	—	—	\$56.25	\$76.05	\$90.75
P 6715 QS or P 6716 QS	—	—	—	—	—	—	—	—	56.25	76.05	90.75




Hampton—P 6736

with K 905 S Swinging Spout Faucet with Hose and Spray

THE feature of this beautiful enameled sink is the double compartments. The dishes are washed in one and rinsed in the other. The K 905 S double combination faucet with removable China Soap Dish, supplies hot, cold or tempered water to either compartment or spray as desired. The spray furnishes a quick, convenient way to remove grease from utensils with scalding water without injury to hands, and to rinse dishes or vegetables with cold or tempered water. Concealed hangers give ample support. It is 8 inches deep inside and has a 12-inch back. Furnished with K 997 Continuous Drain and K 960 Trap in 1½-inch size. Made with drain board either to right or left of double compartment.



P 6736 with
K 905 S Faucet




P 6737 with
K 905 S Faucet

To secure complete, exactly as shown, order "Standard" Hampton Sink, P 6736 with K 905 S Faucet; with drainboard on left end, order P 6737 with K 905 S Faucet. No difference in cost.

Size	— — — — —	22x60 inches	Length of drain board	—	20 ½ inches
Front to back, outside	—	22 ¼ inches	Length each sink, inside	—	18 inches
Apron	— — — — —	6 inches	Length over all	— — —	60 ½ inches
P 6736 with K 905 S Faucet or P 6737 with K 905 S Faucet			— — —		\$118.40

"Standard" PLUMBING FIXTURES




Hudson—P 6814 Q

IN order to make it possible to secure an enameled double drain board sink, similar to the Clinton P 6710 (page 52) at a lower price, the pattern shown above was designed.

It has a back 12 inches high and is supported on concealed wall hangers permitting sink to be set any desired height—yard stick high, to avoid back-strain, being generally approved. Sink furnished with under side painted one coat. Has K 900 nickel-plated RE-NU Compression Combination Double Sink Faucet. The outlet is equipped with K 759 Duplex Strainer and the K 960 1½ inch Trap is nickel-plated.


To secure complete, exactly as shown with double drain boards, order "Standard" Hudson Sink, P 6814 Q. If wanted with K 910 S RE-NU Compression Combination Double Sink Faucet with china B handles and removable china soap dish as shown at right, order Hudson Sink, P 6813 RS.



Hudson—P 6813 RS

Size	— — — — —	22x60 inches	Sink	— — — — —	22x22 inches
	Length of drain boards	— — — — —		— — — — —	19 inches
	Length over all	— — — — —		— — — — —	60 inches
P 6814 Q	— — — — —			— — — — —	\$63.75
P 6813 RS	— — — — —			— — — — —	67.25


"Standard" PLUMBING FIXTURES




Warren—P 6815 Q

THIS "Standard" Sink is enameled and like P 6706, except without apron. The back is 12 inches high. The absence of legs (eliminated by use of concealed hangers) makes for ease of cleaning. Can be set the universally approved yard stick height or otherwise to suit your preference. Has K 900 nickel-plated **RE-NU** Double Sink Faucet. The sink outlet has K 759 *Duplex* Strainer with grating which can be removed to clean or insert rubber stopper. The K 960 Trap is nickel-plated. Sink furnished with under side painted one coat. Made with drain board on either right or left end of sink. See diagrams.

We make several patterns in sinks for installing in a recess. Ask your Plumber about them or send to us for information and illustrations.



P 6815 Q




P 6816 Q

To secure complete, exactly as shown, order "Standard" Warren Sink, P 6815 Q; with drain board on left end, order P 6816 Q. No difference in cost. Always state size desired.


Size	-	-	-	-	-	20x42 in.	20x46 in.	20x52 in.	22x52 in.	22x60 in.
Sink	-	-	-	-	-	20x22 in.	20x28 in.	20x28 in.	22x28 in.	22x34 in.
Length of drainboard	-	-	-	-	-	20 in.	18 in.	24 in.	24 in.	26 in.
Length over all	-	-	-	-	-	42 in.	46 in.	52 in.	52 in.	60 in.
P 6815 Q or P 6816 Q	-	-	-	-	-	\$46.25	\$48.50	\$50.90	\$53.20	\$65.95

"Standard" PLUMBING FIXTURES




Putnam—P 6820 Q

THIS "Standard" Sink is enameled and like P 6715, except without apron. Concealed hangers provide ample support and avoid obstructing floor with sink leg. Back is 12 inches high, and the K 900 RE-NU Double Faucet has swinging spout. Sink outlet is equipped with sanitary K 759 Duplex Strainer, with grating which can be removed to clean or insert rubber stopper. K 960 1½ inch Trap is nickel-plated. Sink furnished with under side painted one coat. See diagrams to order.




P 6820 Q




P 6824 Q

To secure for left corner complete, exactly as shown, order "Standard" Putnam Sink, P 6820 Q; with drain board at wall end, order P 6824 Q; for right corner with drain board at left end, order P 6821 Q; with drain board at wall end, for right corner, order P 6825 Q. Always state size desired.




P 6821 Q



P 6825 Q

Size	—	—	—	—	—	—	—	20x46 in.	20x52 in.	22x52 in.	22x60 in.
Sink	—	—	—	—	—	—	—	20x28 in.	20x28 in.	22x28 in.	22x34 in.
Length of drain board	—	—	—	—	—	—	—	18 in.	24 in.	24 in.	26 in.
Length over all	—	—	—	—	—	—	—	46 in.	52 in.	52 in.	60 in.
P 6820 Q or P 6821 Q	—	—	—	—	—	—	—	\$56.05	\$59.50	\$61.85	\$75.85
P 6824 Q or P 6825 Q	—	—	—	—	—	—	—	56.05	59.50	61.85	75.85

"Standard" PLUMBING FIXTURES



Salem—P 6800 E

THIS is the least expensive "Standard" one-piece enameled sink with back. Back is 12 inches high. Sink is held in position by a concealed hanger which can be set any height from the floor. K 1150 Faucets contain stream regulating device, and outlet has K 759 Duplex Strainer. Has K 960 1½-inch nickel-plated Trap, and is furnished with under side painted one coat. Depth inside, 6 inches.

To secure complete, exactly as shown, order "Standard" Salem Sink, P 6800 E, in size desired.

Sizes	Prices
16x16 inches	\$21.55
16x24 inches	23.45
18x18 inches	23.45
18x24 inches	22.90
18x30 inches	26.35
18x36 inches	29.80
20x20 inches	23.45


Sizes	Prices
20x24 inches	\$25.15
20x30 inches	27.65
20x36 inches	30.45
20x40 inches	35.10
22x30 inches	29.90
22x36 inches	32.75
22x42 inches	37.40

Can also be furnished 8 inches deep in three sizes. If wanted, order "Standard" Hawthorne P 6802 E in size desired.

Size	20x24 inches	22x30 inches	22x36 inches
	\$29.25	\$33.90	\$37.40


THIS sink is enameled and is a duplicate of P 6800 E, except that it has an apron 5½ inches deep which enriches its appearance. K 900 S ~~RE-NI~~ Double Faucet has stream regulating device.

To secure complete, exactly as shown, order "Standard" Madison Sink, P 6700 QS, in size desired.



Madison—P 6700 QS

Sizes	16x16 in.	18x30 in.	20x24 in.	20x30 in.	20x36 in.	20x40 in.	22x36 in.	22x42 in.
	\$39.10	\$48.80	\$45.80	\$49.80	\$55.15	\$58.25	\$58.25	\$63.55




Bacon—P 7425 A F

THIS enameled one-piece laundry tray and sink makes an excellent fixture for apartments, small residences and cottages. It has a nickel-plated soap dish and is supported on wall hangers and adjustable leg. Outside of sink, tray and leg is painted one coat. Sink has K 1158 Compression Stream Regulating Faucets and K 999 *Duplex* Strainer. Laundry tray has K 1588 Compression Stream Regulating Faucets, K 998 Drain Plug and Rubber Stopper. The ash drain board is interchangeable for use over sink or tray or may be removed entirely. Length over all of fixture, 50 $\frac{1}{4}$ inches. Width over all, 23 $\frac{1}{2}$ inches.


Floor to top of rim, 32 to 36 inches.

*To secure complete, exactly as shown, order
"Standard" Bacon Laundry Tray and Sink
Combination P 7425 A F, \$87.10*

If wanted with sink on right end and tray on left, order P 7426 A F, same price. (See diagrams.)




P 7425 A F




P 7426 A F

"Standard" PLUMBING FIXTURES



Radcliff—P 7440 A F

THE one-piece enameled laundry tray and sink combination here shown is like the same useful fixture shown on preceding page excepting that it has a six-inch apron and 12 inch back which greatly enrich its appearance. It has a nickel-plated soap dish and is supported on wall hangers, and enameled adjustable legs. Outside of tray is painted one coat. The sink is fitted with K 1158 Compression Stream Regulating Faucets and K 999 Duplex Strainer, and the laundry tray has K 1588 Stream Regulating Faucets, and K 998 Drain Plug with Rubber Stopper. Ash drain board is interchangeable for use over sink or tray or may be removed entirely. Length over all of fixture, $50\frac{3}{4}$ inches. Width overall, $23\frac{1}{2}$ inches. Floor to top of rim, 32 to 36 inches.




P 7440 A F



P 7441 A F

To secure complete, exactly as shown, order "Standard" Radcliff Laundry Tray and Sink Combination P 7440 A F, with sink on right and tray on left, order P 7441 A F: If wanted as shown but with 8 inch back, order P 7430 A F; with tray on left and sink on right, with 8 inch back, order P 7431 A F.

P 7440 A F or P 7441 A F	-	-	-	-	-	-	-	-	-	\$106.90
P 7430 A F or P 7431 A F	-	-	-	-	-	-	-	-	-	97.95




Linden—P 7470 E D

THIS flat rim, low back (4 inches) one-piece enameled laundry tray and sink combination is built for service at a moderate price. It is supported on wall hangers and adjustable pedestal. Outside of sink, tray and pedestal is painted one coat. Sink has K 1150 Compression Stream Regulating Faucets and K 999 Duplex Strainer.


Laundry Tray has K 1570 Compression Stub Pattern Faucets and K 998 Drain Plug and Rubber Stopper. Ash drain board can be used over sink or tray. Furnished with nickel-plated soap dish. Length over all of fixture, 46 inches. Width over all, 22 inches.

To secure complete, exactly as shown, order
"Standard" Linden Laundry Tray and Sink
Combination P 7470 E D, \$63.25

If wanted with sink on right end and tray on left, order
P 7471 E D, same price. (See diagrams.)




P 7470 E D



P 7471 E D

Floor to top of
rim, 29 1/2 in.
to 32 1/2 in.

"Standard" PLUMBING FIXTURES




~~Alden—P 7500 F~~

Alden—P 7300 F

THIS equipment, P 7300 F, extends the one-piece idea to the laundry in the maximum degree, as the two enameled trays, with 8-inch high enameled back and roll rim are made all in one-piece, without a single crack, crevice or joint.

The outside and sanitary adjustable legs are painted one coat. Hard wood wringer holder is fastened to rim on right end. The K 1158

Faucets with steam regulating device, soap dishes and K 997 1½-inch Drain Pipe and K 965 1½ inch vented Trap are nickel-plated.




Alden—P 7302 Q
Shown with K 930
Double Faucet

This K 930 RE-NU Double Faucet with swinging spout can be used instead of the four faucets shown. It has rough nickel-plated body, polished nickel-plated handles, hose end and supplies either tray. The spout swings out of the way when not in use.

To secure complete, exactly as shown, order "Standard" Alden Laundry Trays, P 7300F—\$106.25. With Swinging Spout Faucet order Alden Laundry Trays, P 7302 Q—\$106.20.

Front to back, inside	- - -	21 ¾ in.	Depth inside	- - - - -	14 ¼ in.
Front to back, outside	- - -	25 ¾ in.	Length inside, each section	- - -	23 in.
Length over all, two sections, 53 ¾ in.					
Floor to top of rim, 33 to 36 in.					

"Standard" PLUMBING FIXTURES



Winfield—P 7338 E


THESE trays are enameled inside, painted one coat outside, are supported on painted sanitary adjustable pedestals and fitted with nickel-plated soap dishes and K 1570 Single Faucets as shown above, or K 932 Double Faucet with swinging spout illustrated below. One double faucet supplies two trays and the spout swings out of the way when not in use. Trays are joined together with nickel-plated strips which take the hard wood wringer holders. The wringer holder on end tray is fastened to rim. Furnished with K 998 Drain Plugs and Rubber Stoppers.

Front to back, inside - - - 21 $\frac{1}{4}$ in. Depth inside - - - - - 14 $\frac{1}{4}$ in.
Front to back, outside - - - 26 in. Length inside, each section - 23 in.
Length over all, three sections, 82 $\frac{1}{2}$ in.


To secure complete, exactly as shown, order "Standard" Winfield Laundry Trays, P 7338 E; with K 932 Double Faucet and wringer holder on end tray only, order "Standard" Winfield Laundry Trays, P 7339 B. State number of sections desired.

	1 sec.	2 sec.	3 sec.
P 7338 E -	\$46.15	\$81.35	\$116.45
P 7339 B -	49.50	80.55	

The adjustable pedestals are made so that the top of the rim of the tray can be set from 31 to 34 inches from floor.



Winfield—P 7339 B
Shown with K 932
Double Faucet




Hanover—P 7350 E

THESE very serviceable enameled laundry trays are economical in price on account of flat rim and absence of backs. They are of same quality as higher priced trays. The trays are painted outside, are supported on sanitary painted pedestals and bolted together at rims.

Can be had with separate hot and cold faucets K 1570 as shown above on P 7350 E or double faucet K 932 shown in illustration P 7351 B. Trays have nickel-plated soap dishes and K 998 Drain Plugs and Rubber Stoppers.

Front to back, inside - - 22 in.
Front to back, outside - - 25 ½ in.
Length over all, three sections, 76 ½ in.


Depth inside - - - - - 14 ¼ in.
Length inside, each section - 23 in.
Floor to top of rim - - 31 to 34 in.



P 7351 B
Shown with K 932
Double Faucet

To secure complete, exactly as shown, order "Standard" Hanover Laundry Trays P 7350 E; with double faucet, order P 7351 B. State number of sections desired.

	1 Sec.	2 Sec.	3 Sec.
P 7350 E - -	\$26.35	\$52.70	\$79.05
P 7351 B - -	29.70	54.05	



Montrose—P 7380 E

THESE are the smallest, simplest and least expensive of "Standard" Laundry Trays. Each tray is made with flat rim and is enameled inside. Supported on sanitary adjustable pedestals, with outside of trays and pedestals painted one coat. Trays are fitted with hard wood wringer holders bolted to rims, and have K 1570 nickel-plated stub pattern Faucets, K 998 Drain Plugs and Rubber Stoppers.

To secure complete, exactly as shown, order "Standard" Montrose Laundry Trays, P 7380 E. State number of sections desired.

Front to back, inside	- - 19 in.	Depth inside	- - - - 13 1/4 in.
Front to back, outside	- - 22 3/4 in.	Length inside, each section	- 21 1/4 in.
Length over all, three sections, 72 3/8 in.			
Floor to top of Rim, 30 to 33 in.			

1 Section, \$22.75

2 Sections, \$45.50

3 Sections, \$68.25

NOTE—The faucets on the laundry trays shown on this page are known as the "stub" pattern. They differ from the faucet which you are accustomed to see, in that they are shorter, the end of handle being only 2 1/2 inches from the back. The purpose of this construction is to have the faucets as short as possible, to leave the maximum working space in the trays.



K 1570
Stub Pattern Faucet

How to Order

TO obtain the exact "Standard" Plumbing Fixtures you select, put your specification in writing and clearly designate the catalogue numbers of fixtures and brand name (when given). The numbers given "Standard" fixtures are universally known to the trade.

For example—when ordering bathroom equipment consisting of bath on page 12, lavatory on page 27, closet on page 45, order as follows:

"Standard" Pembroke Bath, P 2307 J, 5½ ft. size.

"Standard" Bruceton Lavatory, P 3130 C.

"Standard" DEVORO Closet, F 2100.

*When fixture is made in more
than one size, always specify size.*

This will insure your receiving the fixture exactly as shown complete with the nicked brass fittings. These fittings are specified in each description by number as for example; the Bruceton Lavatory P 3130 C is described as having K 715, K 792 and K 974 Fittings. These brass goods numbers are given so you may see illustrations of the fittings shown separately in the large 400 page "Standard" catalogue, when conferring with Plumbers, Jobbers, Architects and Contractors.

Many other fixtures and fittings are shown in "Standard" General Catalogue which should be seen to appreciate the extent of "Standard" Plumbing Fixtures and the ability of the Standard Sanitary Mfg. Co. to serve you.

Your Plumber can obtain without difficulty, any "Standard" fixtures you select. Place your order as early as possible to prevent any unforeseen delay. "Standard" Plumbing Fixtures cost no more than similar fixtures of other manufacture.

IMPORTANT NOTICE TO PURCHASERS

To prevent misunderstandings, remember that the prices in "Standard" catalogues, booklets and advertisements do not include freight to all points, especially in the far West and the extreme South. Neither do the prices include piping, labor or other cost of installing.

Choose Your Plumber

As You Would Your Physician

Ask your best friend who his physician is. He no doubt can tell you immediately the name, address and telephone number of the one chosen to guard the health of his family.

Plumbers are as necessary in safeguarding the health of your family as physicians, and your plumber should be selected with the same care.

You should know whom to call when your plumbing needs attention. You should be on friendly terms with your chosen plumber since he is the physician who will cure the ills of your sewerage, gas and water systems.

A neglected leak in your plumbing may seriously impair the health of some one of your family.

If you contemplate building a new home or renovating your present one, consult your plumber about the merits of "Standard" PLUMBING FIXTURES and have him take you to a "Standard" Showroom where you can see the fixtures and make your selection.

"Standard" Showrooms are arranged for your benefit and you should avail yourself of the advantages they afford.

*The Plumber Protects the Health
of the Nation.*

Standard Sanitary Mfg. Co.

Pittsburgh

*The Plumber Protects the
Health of the Nation*



Standard Sanitary Mfg. Co.

1215 Walnut Street Philadelphia, Penna.

*The Plumber Protects the
Health of the Nation*



Standard Sanitary Mfg. Co.

1215 Walnut Street Philadelphia, Penna.